



# JTM-1 Mill With Newall DP500 DRO

## Product Images

---



## Short Description

---

JTM-1 Mill With Newall DP500 DRO

## Additional Information

|                                                |                              |
|------------------------------------------------|------------------------------|
| Stock Number                                   | JT9-692187                   |
| Collet Capacity                                | 1/8 - 7/8                    |
| Distance Spindle to Column (Max.) (In.)        | 19                           |
| Max Distance Spindle to Table (In.)            | 17-1/2                       |
| Model Number                                   | JTM-1                        |
| Motor (HP)                                     | 2 HP, 230V, 3Ph              |
| Number of Axis                                 | 2                            |
| Number of Spindle Speeds                       | 16                           |
| Overall Dimensions (L x W x H) (In.)           | 57 x 64 x 82                 |
| Prop 65                                        | Cancer and Reproductive Harm |
| Quill Diameter (In.)                           | 3-3/8                        |
| Quill Down Feed Rates (IPR)                    | .0015 - .003 - .006          |
| Range of Spindle Speeds (RPM)                  | 80 - 5,440                   |
| Spindle Taper (In. x TPI)                      | R-8                          |
| Spindle Travel (In.)                           | 5                            |
| Style (Type)                                   | Step Pulley R8               |
| T-Slot Centers (In.)                           | 2-1/2                        |
| Table Cross Travel (In.)                       | 12-1/2                       |
| Table Longitudinal Travel (In.)                | 23-7/8                       |
| Table Longitudinal Travel With Powerfeed (In.) | 20-2/7                       |
| Table Size (L x W) (In.)                       | 9 x 42                       |
| Travel of Knee (In.)                           | 14-1/2                       |
| Travel of Ram (In.)                            | 13-3/8                       |
| Weight (Lbs.)                                  | 2200                         |

